ELSEVIER

Journal of Membrane Science 116 (1996) 315–316

journal of MEMBRANE SCIENCE

Contents

Microporous polypropylene hollow fibers with double layers
S. Nagō and Y. Mizutani (Tokuyama-City, Japan) 1
Boehmite sol properties and preparation of two-layer alumina membrane by a sol–gel process
X. Changrong, W. Feng, M. Zhaojing, L. Fanqing, P. Dingkun and M. Guangyao (Anhui, China) 9
Ultrafiltration separation of aqueous solutions of poly(ethylene glycol)s on the dynamic membrane formed by gelatin
E.A. Tsapiuk (Kiev, Ukraine) 17
Selective permeation of Cu^{2+} and UO_2^{2+} through a Nafion ionomer membrane
J. Ramkumar, K.S. Shrimal, B. Maiti and T.S. Krishnamoorthy (Bombay, India) 31
Morphology and gas permeance of ZSM-5-type zeolite membrane formed on a porous α-alumina support tube
K. Kusakabe, S. Yoneshige, A. Murata and S. Morooka (Fukuoka, Japan) 39
Protein fouling of surface-modified polymeric microfiltration membranes
J. Mueller and R.H. Davis (Boulder, CO, USA) 47
Membrane separation of Ga^{3+} by selective interaction of Ga^{3+} with *N*-octadecanoyl-*N*-phenylhydroxylamine
H. Okushita (Hirakata, Japan) and T. Shimidzu (Kyoto, Japan) 61
Pervaporation with chitosan membranes. I. Separation of water from ethylene glycol by a chitosan/polysulfone composite membrane
X. Feng and R.Y.M. Huang (Waterloo, Canada) 67
Utilization of the Donnan effect for improving electrolyte separation with nanofiltration membranes
R. Levenstein, D. Hasson and R. Semiat (Haifa, Israel) 77
Automatic control of the crossflow microfiltration process using fuzzy logic
N. Perrot, J.-M. Trichard, G. Trystram and M. Decloux (Massy, France) 93
Simulation of non-stationary electrodiffusion processes in charged membranes by the network approach
J. Castilla, M.T. García-Hernández, A. Hayas and J. Horno (Jaén, Spain) 107
Effect of salt concentration on the structure of low-pressure dynamically-formed membranes
V.M. Correia and S.J. Judd (Bedford, UK) 117
Examination of the permeability dependence on ionic strength of low-pressure dynamically-formed membranes
V.M. Correia and S.J. Judd (Bedford, UK) 129

Meetings calendar 141

Temperature dependence and stability of oxygen enrichment through liquid crystalline triheptyl cellulose-containing membranes cast from three solvents
X.-G. Li, M.-R. Huang and G. Lin (Tianjin, China) 143
Evaluation of electroosmosis and streaming potential for measurement of electric charges of polymeric membranes
K.J. Kim, A.G. Fane (Sydney, Australia), M. Nystrom, A. Pihlajamaki (Lappeeranta, Finland), W.R. Bowen and H. Mukhtar (Swansea, UK) 149
Synthesis, characterisation and gas permeation studies on microporous silica and alumina-silica membranes for separation of propane and propylene
B.N. Nair, K. Keizer, W.J. Elferink, M.J. Gilde, H. Verweij and A.J. Burggraaf (Enschede, The Netherlands) 161
Spinning of hollow porous fibres via the TIPS mechanism
S. Berghmans, H. Berghmans (Heverlee, Belgium) and H.E.H. Meijer (Eindhoven, The Netherlands) 171
Rejection of single stranded and double stranded DNA by porous hollow fiber membranes
A. Higuchi, K. Kato, M. Hara, T. Sato, G. Ishikawa, H. Nakano, S. Satoh (Tokyo, Japan) and S.-i. Manabe (Fukuoka, Japan) . . . 191
Transport of organic vapors through poly(1-trimethylsilyl-1-propyne)
I. Pinnau and L.G. Toy (Menlo Park, CA, USA) 199

Organic–inorganic gas separation membranes: preparation and characterization
M. Smaïhi (Boulder, CO, USA), T. Jermoumi, J. Marignan (Montpellier, France) and R.D. Noble (Boulder, CO, USA) 211
Vagaries of artificial bilayers and gating modes of the SCl channel from the sarcoplasmic reticulum of skeletal muscle
J.I. Kourie (Canberra City, ACT, Australia) 221
Effects of natural convection instability on membrane performance in dead-end and cross-flow ultrafiltration
K.H. Youm (Chungbuk, South Korea), A.G. Fane and D.E. Wiley (Sydney, NSW, Australia) 229
Transport of alkali metal cations through monoazacrown ether-modified Nafion 117 membrane
T. Hayashita, J.C. Lee and R.A. Bartsch (Lubbock, TX, USA) 243
Oxidative coupling of methane in porous Vycor membrane reactors
A.M. Ramachandra, Y. Lu, Y.H. Ma, W.R. Moser and A.G. Dixon (Worcester, MA, USA) 253
New type asymmetric membranes having almost defect free hyper-thin skin layer and sponge-like porous matrix
H. Hachisuka, T. Ohara and K. Ikeda (Osaka, Japan) 265
Effects of chemical modifications and immobilization of glucose oxidase onto acrylonitrile copolymer membranes on membrane potential and membrane charge density
Ts. Godjevargova, A. Dimov (Bourgas, Bulgaria) and N. Vassileva (Razgrad, Bulgaria) 273
Effect of post-drawing on the mechanical and mass transfer properties of polyacrylonitrile hollow fiber membranes
M.-C. Yang and M.-T. Chou (Taipei, Taiwan, ROC) 279

Rapid communications
Experimental investigation of a new supercritical fluid–inorganic membrane separation process
G. Afrane (Kumasi, Ghana) and E.H. Chimowitz (Rochester, NY, USA) 293
Characterization of asymmetric ceramic membranes by modified permporometry
P. Huang, N. Xu, J. Shi (Nanjing, China) and Y.S. Lin (Cincinnati, OH, USA) 301

Meeting announcement 307
Meetings calendar 309
Author index 311
Subject index 313
Contents 315